Index of Authors

ADAGU, I. S. and WARHURST, D. C. Allele-specific, nested, one tube PCR: application to *Pfmdr1* polymorphisms in *Plasmodium falciparum*, 1

ADAGU, I. S. and WARHURST, D. C. Association of *cg2* and *pfmdr1* genotype with chloroquine resistance in field samples of *Plasmodium falciparum* from Nigeria, 343

ADEMA, C. M., HERTEL, L. A. and LOKER, E. S. Evidence from two planorbid snails of a complex and dedicated response to digenean (echinostome) infection, 395

ADINI, A. and WARBURG, A. Interaction of *Plasmodium gallinaceum* ookinetes and oocysts with extracellular matrix proteins, 331

ALEXANDER, N. D. E. and GRENFELL, B. T. The effect of pregnancy on *Wuchereria bancrofti* microfilarial load in humans, 151

ALIFRANGIS, M., LEMNGE, M. M., MOON, R., THEISEN, M., BYGBJERG, I., RIDLEY, R. G. and JAKOBSEN, P. H. IgG reactivities against recombinant Rhoptry-Associated Protein-1 (rRAP-1) are associated with mixed *Plasmodium* infections and protection against disease in Tanzanian children, 337

ALSTAD, N. E. *See* SOLENG, A.

ANDERSEN, C. L., CANNING, E. U. and OKAMURA, B. Molecular data implicate bryozoans as hosts for PKX (Phylum Myxozoa) and identify a clade of bryozoan parasites within the Myxozoa, 555

ANDERSON, T. J. C., XIN-ZHUAN SU, BOCKARIE, M., LAGOG, M. and DAY, K. P. Twelve microsatellite markers for characterization of *Plasmodium falciparum* from finger-prick blood samples, 113

APPLEBY, C. *See* GEETS, A.

ARIZONO, N. *See* HYOH, Y.

ARNOT, D. E. *See* GIHA, H. A.

AUGUSTINE, P. C., JENKINS, M. C. and DUBEY, J. P. Effect of polyclonal antisera developed against dense granule-associated *Neospora caninum* proteins on cell invasion and development *in vitro* by *N. caninum* tachyzoites, 441

BAKKE, T. A., SOLENG, A. and HARRIS, P. D. The susceptibility of Atlantic salmon (*Salmo salar* L.) × brown trout (*Salmo trutta* L.) hybrids to *Gyrodactylus salaris* Malmberg and *Gyrodactylus derjavini* Mikailov, 467

BAKKE, T. A. *See* SOLENG, A.

BAO-ZHEN, Q. *See* CHILTON, N. B.

BARTOLI, P. *See* SASAL, P.

BEHNKE, J. M. *See* MENDOZA DE GIVES, P.

BEVERIDGE, I. *See* HUNG, G.-C.

BIANCO, A. E. *See* GRAHAM, S. P.

BILLINGSLEY, P. F. *See* JANAN, N.

BJØRN, H. *See* FERNANDEZ, A. S.

BLAIR, D., LE, T. H., DESPRÉS, L. and MCMANUS, D. P. Mitochondrial genes of *Schistosoma mansoni*, 303

BOCKARIE, M. *See* ANDERSON, T. J. C.

BOES, J., COATES, S., MEDLEY, G. F., VARADY, M., ERIKSEN, L., ROEPSTORFF, A. and NANSEN, P. Exposure of sows to *Ascaris suum* influences worm burden distributions in experimentally infected suckling piglets, 509

BØGH, H. O. *See* CHILTON, N. B.

BOIREAU, P. *See* VAYSSIER, M.

BOISSIER, J., MORAND, S. and MONÉ, H. A review of performance and pathogenicity of male and female *Schistosoma mansoni* during the life-cycle, 447

BOUCHEREAU, J. L. *See* PAMPOULIE, C.

BRADLEY, J. E. *See* RODRÍGUEZ-PÉREZ, M. A.

BRAUN, G. *See* GRAHAM, S. P.

BROUWERS, J. F. H. M., SKELLY, P. J., VAN GOLDE, L. M. G. and TIELENS, A. G. M. Studies on phospholipid turnover argue against sloughing of tegumental membranes in adult *Schistosoma mansoni*, 287

BYGBJERG, I. *See* ALIFRANGIS, M.

CANNING, E. U., CURRY, A., CHENEY, S., LAFRANCHI-TRISTEM, N. J. and HAQUE, M. A. *Vairimorpha imperfecta* n.sp., a microsporidian exhibiting an abortive octosporous sporogony in *Plutella xylostella* L. (Lepidoptera: Yponomeutidae), 273

CANNING, E. U. *See* ANDERSEN, C. L.

CAO, W. C. *See* PLAISIER, A. P.

CAPUANO, S. *See* DEZFULI, B. S.

CARTER, R. *See* HEALER, J.

CERVI, L., ROSSI, G. and MASIH, D. T. Potential role for excretory–secretory forms of glutathione-S-transferase (GST) in *Fasciola hepatica*, 627

CHABAUD, A. G. *See* VUONG, P. N.

CHATTERJEE, R. K. *See* MURTHY, P. K.

CHENEY, S. *See* CANNING, E. U.

CHILTON, N. B., BAO-ZHEN, Q., BØGH, H. O. and NANSEN, P. An electrophoretic comparison of *Schistosoma japonicum* (Trematoda) from different provinces in the People's Republic of China suggests the existence of cryptic species, 375

CHILTON, N. B. *See* HUNG, G. C.

CHRISTENSSON, D. *See* ROEPSTORFF, A.

CLARK, S. J. *See* MENDOZA DE GIVES, P.

COATES, S. *See* BOES, J.

COLLINS, W. E. *See* JAKEMAN, G. N.

COQUELIN, F. *See* VUONG, P. N.

CRIVELLI, A. J. *See* PAMPOULIE, C.

CURRY, A. *See* CANNING, E. U.

CABARET, J. *See* SOLOMON, A.

DANIS-LOZANO, R. *See* RODRÍGUEZ-PÉREZ, M. A.

DAUGSCHIES, A. *See* JOACHIM, A.

DAVIES, C. M., WEBSTER, J. P., KRÜGER, O., MUNATSI, A., NDAMBA, J. and WOOLHOUSE, M. E. J. Host–parasite population genetics: a cross-sectional comparison of *Bulinus globosus* and *Schistosoma haematobium*, 295

DAVIES, C. R. and MAZLOUMI GAVGANI, A. S. Age, acquired immunity and the risk of visceral leishmaniasis: a prospective study in Iran, 247

DAVIES, K. G. *See* MENDOZA DE GIVES, P.

DAY, K. P. *See* ANDERSON, T. J. C.

DE GARINE-WICHATITSKY, M., DE MEEÛS, T., GUÉGAN, J.-F. and RENAUD, F. Spatial and temporal distributions of parasites: can wild and domestic ungulates avoid African tick larvae?, 455

DE MEEÛS, T. *See* GARINE-WICHATITSKY, M.

DEPLAZES, P. *See* OCHS, H.

DESPRÉS, L. *See* BLAIR, D.

DEVANEY, E. *See* HUNTER, S. J.

DEZFULI, B. S., CAPUANO, S., PIRONI, F. and MISCHIATI, C. The origin and function of cement gland secretion in *Pomphorhynchus laevis* (Acathocephala), 649

DOCHERTY, P. T. *See* JANAN, N.

DODOO, D. *See* GIHA, H. A.

DOWN, R. E., FORD, L., MOSSON, H. J., FITCHES, E., GATEHOUSE, J. A. and GATEHOUSE, A. M. R. Protease activity in the larval stage of the parasitoid wasp, *Eulophus pennicornis* (Nees) (Hymenoptera: Eulophidae); effects of protease inhibitors, 157

DUBEY, J. P. *See* AUGUSTINE, P. C.

DUBEY, J. P. *See* JENKINS, M. C.

DUBREMETZ, J.-F. *See* FERGUSON, D. J. P.

DURAISINGH, M. T., JONES, P., SAMBOU, I., VON SEIDLEIN, L.,

PINDER, M. and WARHURST, D. C. Inoculum effect leads to overestimation of *in vitro* resistance for artemisinin derivatives and standard antimalarials: a Gambian field study, 435
DUSZYNSKI, D. W. *See* HNIDA, J. A.
DVOŘÁK, J. *See* HORÁK, P.

ELHASSAN, I. M. *See* GIHA, H. A.
ELLIS, J. T. *See* JENKINS, M. C.
ERIKSEN, L. *See* BOES, J.
ERIKSEN, L. *See* JUNGERSEN, G.
ERIKSEN, L. *See* ROEPSTORFF, A.

FABIEN, J. F. *See* VAYSSIER, M.
FAGERHOLM, H.-P. *See* JUNGERSEN, G.
FAISAL, M. *See* KOTOB, S. I.
FERGUSON, D. J. P., JACOBS, D., SAMAN, E., DUBREMETZ, J.-F. and WRIGHT, S. E. *In vivo* expression and distribution of dense granule protein 7 (GRA7) in the exoenteric (tachyzoite, bradyzoite) and enteric (coccidian) forms of *Toxoplasma gondii*, 259
FERNANDEZ, A. S., LARSEN, M., HENNINGSEN, E., NANSEN, P., GRØNVOLD, J., BJØRN, H. and WOLSTRUP, J. Effect of *Duddingtonia flagrans* against *Ostertagia ostertagi* in cattle grazing at different stocking rates, 105
FITCHES, E., *See* DOWN, R. E.
FORD, L. *See* DOWN, R. E.
FUJIWARA, M. *See* KIMURA, E.
FURST, C. *See* GOMES, M. A.

GARGAN, P. *See* TULLY, O.
GASSER, R. B. *See* HUNG, G.-C.
GATEHOUSE, A. M. R. *See* DOWN, R. E.
GATEHOUSE, J. A. *See* DOWN, R. E.
GEETS, A., APPLEBY, C. and OLLIVIER, F. Host-dependent and seasonal variation in opisthaptoral hard parts of *Gyrodactylus* cf. *arcuatus* from three *Pomatoschistus* spp. and *G. arcuatus* from *Gasterosteus aculeatus*: a multivariate approach, 27
GHOSH, R. P. *See* MURTHY, P. K.
GIHA, H. A., STAALSOE, T., DODOO, D., ELHASSAN, I. M., ROPER, C., SATTI, G. M. H., ARNOT, D. E., HVIID, L. and THEANDER, T. G. Overlapping antigenic repertoires of variant antigens expressed on the surface of erythrocytes infected by *Plasmodium falciparum*, 7
GJERDE, B. *See* ROEPSTORFF, A.
GLAZER, I. *See* SOLOMON, A.
GOMES, M. A., PESQUERO, J. B., FURST, C., VALLE, P. R., PESQUERO, J. L. and SILVA, E. F. An improved method to distinguish *Entamoeba histolytica* and *Entamoeba dispar*, 359
GONNET, F. *See* VUONG, P. N.
GRAHAM, S. P., WU, Y., HENKLE-DUEHRSEN, K., LUSTIGMAN, S., UNNASCH, T. R., BRAUN, G., WILLIAMS, S. A., MCCARTHY, J., TREES, A. J. and BIANCO, A. E. Patterns of *Onchocerca volvulus* recombinant antigen recognition in a bovine model of onchocerciasis, 603
GRENFELL, B. T. *See* ALEXANDER, N. D. E.
GRØNVOLD, J. *See* FERNANDEZ, A. S.
GUÉGAN, J.-F. *See* GARINE-WICHATITSKY, M.
GUTIÉRREZ, P. A. and MARTORELLI, S. R. Niche preferences and spatial distribution of Monogenea on the gills of *Pimelodus maculatus* in Rio de la Plata (Argentina), 183
GUTIÉRREZ, P. A. and MARTORELLI, S. R. The structure of the monogenean community on the gills of *Pimelodus maculatus* in Rio de la Plata (Argentina), 177

HAAG, J. *See* OVERATH, P.
HABBEMA, J. D. F. *See* PLAISIER, A. P.
HARRIS, P. D. *See* BAKKE, T. A.
HARVEY, S. C., PATERSON, S. and VINEY, M. E. Heterogeneity in the distribution of *Strongyloides ratti* infective stages among the faecal pellets of rats, 227
HAQUE, M. A. *See* CANNING, E. U.
HEALER, J., MCGUINESS, D., CARTER, R. and RILEY, E. Transmission-blocking immunity to *Plasmodium falciparum* in malaria-immune individuals is associated with antibodies to the gamete surface protein Pfs230, 425
HENBEST, P. J. *See* WANG, H.
HENKLE-DUEHRSEN, K. *See* GRAHAM, S. P.
HENNINGSEN, E. *See* FERNANDEZ, A. S.
HERTEL, L. A. *See* ADEMA, C. M.
HIRT, J. *See* SURES, B.
HNIDA, J. A. and DUSZYNSKI, D. W. Taxonomy and systematics of some *Eimeria* species of murid rodents as determined by the ITS 1 region of the ribosomal gene complex, 349
HOGARTH, W. L. *See* JAKEMAN, G. N.
HOLDEN-DYE, L. *See* TRIM, N.
HORÁK, P., DVOŘÁK, J., KOLÁŘOVÁ, L. and TREFIL, L. *Trichobilharzia regenti*, a pathogen of the avian and mammalian central nervous systems, 577
HOWARD, M. K. *See* MAURICIO, I. L.
HUNG, G.-C., GASSER, R. B., BEVERIDGE, I. and CHILTON, N. B. Species-specific amplification by PCR of ribosomal DNA from some equine strongyles, 69
HUNTER, S. J., MARTIN, S. A. M., THOMPSON, F. J., TETLEY, L. and DEVANEY, E. The isolation of differentially expressed cDNA clones from the filarial nematode *Brugia pahangi*, 189
HURD, H. *See* JANAN, N.
HVIID, L. *See* GIHA, H. A.
HYOH, Y., NISHIDA, M., TEGOSHI, T., YAMADA, M., UCHIKAWA, R., MATSUDA, S. and ARIZONA, N. Enhancement of apoptosis with loss of cellular adherence in the villus epithelium of the small intestine after infection with the nematode *Nippostrongylus brasiliensis* in rats, 199

IMASE, A., KUMAGAI, T., OHMAE, H., IRIE, Y. and IWAMURA, Y. Localization of mouse type 2 *Alu* sequence in schistosomes, 315
IRIE, Y. *See* IMASE, A.
ITOH, M. *See* KIMURA, E.
IWAMURA, Y. *See* IMASE, A.

JACOBS, D. *See* FERGUSON, D. J. P.
JAKEMAN, G. N., SAUL, A., HOGARTH, W. L. and COLLINS, W. E. Anaemia of acute malaria infections in non-immune patients primarily results from destruction of non-infected erythrocytes, 127
JAKOBSEN, P. H. *See* ALIFRANGIS, M.
JANAN, N., DOCHERTY, P. T., BILLINGSLEY, P. F. and HURD, H. Blood digestion in the mosquito, *Anopheles stephensi*: the effects of *Plasmodium yoelii nigeriensis* on midgut enzyme activities, 535
JENKINS, M. C., ELLIS, J. T., LIDDELL, S., RYCE, C., MUNDAY, B. L., MORRISON, D. A. and DUBEY, J. P. The relationship of *Hammondia hammondi* and *Sarcocystis mucosa* to other heteroxenous cyst-forming coccidia as inferred by phylogenetic analysis of the 18S SSU ribosomal DNA sequence, 135
JENKINS, M. C. *See* AUGUSTINE, P. C.
JOACHIM, A., RUTTKOWSKI, B. and DAUGSCHIES, A. Changing surface antigen and carbohydrate patterns during the development of *Oesophagostomum dentatum*, 491
JONES, P. *See* DURAISINGH, M. T.
JONES, J. T. *See* ROBERTSON, L.
JUNGERSEN, G., FAGERHOLM, H.-P., NANSEN, P. and ERIKSEN, L. Development of patent *Ascaris suum* infections in pigs following intravenous administration of larvae hatched *in vitro*, 503

KADOSAKA, T. *See* KIMURA, E.
KIMURA, E., SHINTOKU, Y., KADOSAKA, T., FUJIWARA, M., KONDO,

S. and ITOH, M. A second peak of egg excretion in *Strongyloides ratti*-infected rats: its origin and biological meaning, 221
KNOPF, K. *See* SURES, B.
KNOX, D. P. *See* NEWLANDS, G. F. J.
KNOX, D. P. *See* SKUCE, P. J.
KOLÁŘOVÁ, L. *See* HORÁK, P.
KONDO, S. *See* KIMURA, E.
KOTOB, S. I., MCLAUGHLIN, S. M., VAN BERKUM, P. and FAISAL, M. Discrimination between two *Perkinsus* spp. isolated from the softshell clam, *Mya arenaria*, by sequence analysis of two internal transcribed spacer regions and the 5·8S ribosomal RNA gene, 363
KRÜGER, O. *See* DAVIES, C. M.
KUHN, R. E. *See* TOENJES, S. A.
KUMAGAI, T. *See* IMASE, A.

LAFRANCHI-TRISTEM, N. J. *See* CANNING, E. U.
LAGOG, M. *See* ANDERSON, T. J. C.
LAMBERT, A. *See* PAMPOULIE, C.
LANDAU, I. *See* VUONG, P. N.
LARSEN, M. N. and ROEPSTORFF, A. Seasonal variation in development and survival of *Ascaris suum* and *Trichuris suis* eggs on pastures, 209
LARSEN, M. *See* FERNANDEZ, A. S.
LAURENT, J.-P. and SWINDLE, J. Variation in transient gene expression within single lineages of *Trypanosoma cruzi*, 583
LE GUERHIER, F. *See* VAYSSIER, M.
LE, T. H. *See* BLAIR, D.
LEIRO, J., SISO, M. I. G., PARAMÁ, A., UBEIRA, F. M. and SANMARTIN, M. L. DNA probes for detection of the fish microsporidians *Microgemma caulleryi* and *Tetramicra brevifilum*, 267
LEMINGE, M. M. *See* ALIFRANGIS, M.
LIDDELL, S. *See* JENKINS, M. C.
LIDDELL, S. *See* SKUCE, P. J.
LISCHKE, A. *See* OVERATH, P.
LIU MINGYUAN *See* VAYSSIER, M.
LOKER, E. S. *See* ADEMA, C. M.
LUSTIGMAN, S. *See* GRAHAM, S. P.

MAMEZA, M. G. *See* OVERATH, P.
MARTIN, S. A. M. *See* HUNTER, S. J.
MARTORELLI, S. R. *See* GUTIÉRREZ, P. A.
MASIH, D. T. *See* CERVI, L.
MATSUDA, S. *See* HYOH, Y.
MAURICIO, I. L., HOWARD, M. K., STOTHARD, J. R. and MILES, M. A. Genomic diversity in the *Leishmania donovani* complex, 237
MAZLOUMI GAVGANI, A. S. *See* DAVIES, C. R.
MATHIS, A. *See* OCHS, H.
MCCARTHY, J. *See* GRAHAM, S. P.
MCGUINESS, D. *See* HEALER, J.
MCMANUS, D. P. *See* BLAIR, D.
MCLAUGHLIN, S. M. *See* KOTOB, S. I.
MEDLEY, G. F. *See* BOES, J.
MEDLEY, G. F. *See* ROEPSTORFF, A.
MENDOZA DE GIVES, P., DAVIES, K. G., CLARK, S. J. and BEHNKE, J. M. Predatory behaviour of trapping fungi against *srf* mutants of *Caenorhabditis elegans* and different plant and animal parasitic nematodes, 95
MILES, M. A. *See* MAURICIO, I. L.
MISCHIATI, C. *See* DEZFULI, B. S.
MONÉ, H. *See* MORAND, S.
MOON, R. *See* ALIFRANGIS, M.
MOONEY, K. A. *See* TOENJES, S. A.
MORAND, S. *See* BOISSIER, J.
MORAND, S. *See* PAMPOULIE, C.
MORAND, S. *See* POULIN, R.
MORRISON, D. *See* JENKINS, M. C.
MOSSON, H. J. *See* DOWN, R. E.
MUNATSI, A. *See* DAVIES, C. M.
MUNDAY, B. L. *See* JENKINS, M. C.
MURTHY, P. K., TYAGI, K., GHOSH, R. P., MURTHY, P. S. R. and CHATTERJEE, R. K. Longitudinal humoral immune responses of Indian leaf monkey (*Presbytis entellus*) to *Brugia malayi* infection, 53
MURTHY, P. S. R. *See* MURTHY, P. K.

NANSEN, P. *See* BOES, J.
NANSEN, P. *See* CHILTON, N. B.
NANSEN, P. *See* FERNANDEZ, A. S.
NANSEN, P. *See* JUNGERSEN, G.
NANSEN, P. *See* ROEPSTORFF, A.
NDAMBA, J. *See* DAVIES, C. M.
NEWLANDS, G. F. J., SKUCE, P. J., KNOX, D. P., SMITH, S. K. and SMITH, W. D. Cloning and characterization of a β-galactosidase-binding protein (galectin) from the gut of the gastrointestinal nematode parasite *Haemonchus contortus*, 483
NEWLANDS, G. F. J. *See* SKUCE, P. J.
NILSSON, O. *See* ROEPSTORFF, A.
NIQUIL, N. *See* SASAL, P.
NISHIDA, M. *See* HYOH, Y.
NUTTALL, P. A. *See* WANG, H.

O'CALLAGHAN, C. J. *See* ROEPSTORFF, A.
OCHS, H., MATHIS, A. and DEPLAZES, P. Single nucleotide variation in rDNA ITS-2 differentiates *Psoroptes* isolates from sheep and rabbits from the same geographical area, 419
OHMAE, H. *See* IMASE, A.
OKAMURA, B. *See* ANDERSON, C. L.
OKSANEN, A. *See* ROEPSTORFF, A.
OLLIVIER, F. *See* GEETS, A.
ORTEGA-PIERRES, G. *See* VAYSSIER, M.
ORTENBERG, E. Ö. *See* ROEPSTORFF, A.
OVERATH, P., HAAG, J., MAMEZA, M. G. and LISCHKE, A. Freshwater fish trypanosomes: definition of two types, host control by antibodies and lack of antigenic variation, 591

PAMPOULIE, C., MORAND, S., LAMBERT, A., ROSECCHI, E., BOUCHEREAU, J. L. and CRIVELLI, A. J. Influence of the trematode *Aphalloïdes coelomicola* Dollfus, Chaband & Golvan, 1957 on the fecundity and survival of *Pomatoschistus microps* (Krøyer, 1838) (Teleostei: Gobiidae), 61
PAPERNA, I. *See* SOLOMON, A.
PARAMÁ, A. *See* LEIRO, J.
PATERSON, S. *See* HARVEY, S. C.
PERRET, C. *See* VAYSSIER, M.
PESQUERO, J. B. *See* GOMES, M. A.
PESQUERO, J. L. *See* GOMES, M. A.
PFEIFFER, R. *See* SKELLY, P. J.
PHILIPPE, H. *See* VAYSSIER, M.
PINDER, M. *See* DURAISINGH, M. T.
PIRONI, F. *See* DEZFULI, B. S.
PLAISIER, A. P., CAO, W. C., VAN OORTMARSSEN, G. J. and HABBEMA, J. D. F. Efficacy of ivermectin in the treatment of *Wuchereria bancrofti* infection: a model-based analysis of trial results, 385
POLÉO, A. B. S. *See* SOLENG, A.
POOLE, W. R. *See* TULLY, O.
POULIN, R. and MORAND, S. Geographical distances and similarity among parasite communities of conspecific host populations, 369

REDMOND, D. L. *See* SKUCE, P. J.
RENAUD, F. *See* GARINE-WICHATITSKY, M.
RÉNIA, L. *See* VUONG, P. N.
RICE, C. *See* JENKINS, M. C.
RICHARD, F. *See* VUONG, P. N.
RICHTER, S. H. *See* ROEPSTORFF, A.
RIDLEY, R. G. *See* ALIFRANGIS, M.

RILEY, E. *See* HEALER, J.

ROBERTSON, L., ROBERTSON, W. M. and JONES, J. T. Direct analysis of the secretions of the potato cyst nematode *Globodera rostochiensis*, 167

ROBERTSON, W. M. *See* ROBERTSON, L.

RODRÍGUEZ-PÉREZ, M. A., DANIS-LOZANO, R., RODRÍGUEZ, M. H., UNNASCH, T. R. and BRADLEY, J. E. Detection of *Onchocerca volvulus* infection in *Simulium ochraceum senso lato*: comparison of a PCR assay and fly dissection in a Mexican hypoendemic community, 613

RODRÍGUEZ, M. H. *See* RODRÍGUEZ-PÉREZ, M. A.

ROEPSTORFF, A., NILSSON, O., O'CALLAGHAN, C. J., OKSANEN, A., GJERDE, B., RICHTER, S. H., ORTENBERG, E. Ö., CHRISTENSSON, D., NANSEN, P., ERIKSEN, L. and MEDLEY, G. F. Intestinal parasites in swine in the Nordic countries: multilevel modelling of *Ascaris suum* infections in relation to production factors, 521

ROEPSTORFF, A. *See* BOES, J.

ROEPSTORFF, A. *See* LARSEN, M. N.

ROPER, C. *See* GIHA, H. A.

ROSECCHI, E. *See* PAMPOULIE, C.

ROSSI, G. *See* CERVI, L.

RUTTKOWSKI, B. *See* JOACHIM, A.

SAMAN, E. *See* FERGUSON, D. J. P.

SAMBOU, I. *See* DURAISINGH, M. T.

SANMARTIN, M. L. *See* LEIRO, J.

SASAL, P., NIQUIL, N. and BARTOLI, P. Community structure of digenean parasites of sparid and labrid fishes of the Mediterranean sea: a new approach, 635

SATTI, G. M. H. *See* GIHA, H. A.

SAUL, A. *See* JAKEMAN, G. N.

VON SEIDLEIN, L. *See* DURAISINGH, M. T.

SHINTOKU, Y. *See* KIMURA, E.

SHOEMAKER, C. B. *See* SKELLY, P. J.

SILVA, E. F. *See* GOMES, M. A.

SISO, M. I. G. *See* LEIRO, J.

SKELLY, P. J., PFEIFFER, R., VERREY, F. and SHOEMAKER, C. B. SPRM1lc, a heterodimeric amino acid permease light chain of the human parasitic platyhelminth, *Schistosoma mansoni*, 569

SKELLY, P. J. *See* BROUWERS, J. F. H. M.

SKUCE, P. J., REDMOND, D. L., LIDDELL, S., STEWART, E. M., NEWLANDS, G. F. J., SMITH, W. D. and KNOX, D. P. Molecular cloning and characterization of gut-derived cysteine proteinases associated with a host protective extract from *Haemonchus contortus*, 405

SKUCE, P. J. *See* NEWLANDS, G. F. J.

SMITH, S. K. *See* NEWLANDS, G. F. J.

SMITH, W. D. *See* NEWLANDS, G. F. J.

SMITH, W. D. *See* SKUCE, P. J.

SNOUNOU, G. *See* VUONG, P. N.

SOLENG, A., POLÉO, A. B. S., ALSTAD, N. E. W. and BAKKE, T. A. Aqueous aluminium eliminates *Gyrodactylus salaris* (Platyhelminthes, Monogenea) infections in Atlantic salmon, 19

SOLENG, A. *See* BAKKE, T. A.

SOLOMON, A., CABARET, J., GLAZER, I. and PAPERNA, I. Desiccation tolerance of *Muellerius capillaris* first-stage larvae from Israeli arid and French temperate habitats and their compatibility to the land snail *Theba pisana*, 621

SOULE, C. *See* VAYSSIER, M.

SPOLSKI, R. J. *See* TOENJES, S. A.

STAALSOE, T. *See* GIHA, H. A.

STEWART, E. M. *See* SKUCE, P. J.

STOTHARD, J. R. *See* MAURICIO, I. L.

SURES, B., KNOPF, K., WÜRTZ, J. and HIRT, J. Richness and diversity of parasite communities in European eels *Anguilla anguilla* of the River Rhine, Germany, with special reference to helminth parasites, 323

SWINDLE, J. *See* LAURENT, J.-P.

TETLEY, L. *See* HUNTER, S. J.

TEGOSHI, T. *See* HYOH, Y.

THEANDER, T. G. *See* GHIA, H. A.

THEISEN, M. *See* ALIFRANGIS, M.

THOMPSON, F. J. *See* HUNTER, S. J.

TIELENS, A. G. M. *See* BROUWERS, J. F. H. M.

TOENJES, S. A., SPOLSKI, R. J., MOONEY, K. A. and KUHN, R. E. $\gamma\delta$T cells do not play a major role in controlling infection in experimental cysticercosis, 413

TREES, A. J. *See* GRAHAM, S. P.

TREFIL, L. *See* HORÁK, P.

TRIM, N., HOLDEN-DYE, L. and WALKER, R. J. The inhibitory action of tamoxifen on the contraction of *Ascaris suum* somatic muscle in response to acetylcholine, 655

TULLY, O., GARGAN, P., POOLE, W. R. and WHELAN, K. F. Spatial and temporal variation in the infestation of sea trout (*Salmo trutta* L.) by the caligid copepod *Lepeophtheirus salmonis* (Krøyer) in relation to sources of infection in Ireland, 41

TYAGI, K. *See* MURTHY, P. K.

UBEIRA, F. M. *See* LEIRO, J.

UCHIKAWA, R. *See* HYOH, Y.

UNNASCH, T. R. *See* GRAHAM, S. P.

UNNASCH, T. R. *See* RODRÍGUEZ-PÉREZ, M. A.

VALLE, P. R. *See* GOMES, M. A.

VALLET, C. *See* VAYSSIER, M.

VAN BERKUM, P. *See* KOTOB, S. I.

VAN GOLDE, L. M. G. *See* BROUWERS, J. F. H. M.

VAN OORTMARSSEN, G. J. *See* PLAISIER, A. P.

VARADY, M. *See* BOES, J.

VAYSSIER, M., LE GUERHIER, F., FABIEN, J. F., PHILIPPE, H., VALLET, C., ORTEGA-PIERRES, G., SOULE, C., PERRET, C., LIU MINGYUAN, VEGA-LOPEZ, M. and BOIREAU, P. Cloning and analysis of a *Trichinella britovi* gene encoding a cytoplasmic heat shock protein of 72 kDa, 81

VEGA-LOPEZ, M. *See* VAYSSIER, M.

VERREY, F. *See* SKELLY, P. J.

VINEY, M. E. *See* HARVEY, S. C.

VUONG, P. N., RICHARD, F., SNOUNOU, G., COQUELIN, F., RÉNIA, L., GONNET, F., CHABAUD, A. G. and LANDAU, I. Development of irreversible lesions in the brain, heart and kidney following acute and chronic murine malaria infection, 543

WALKER, R. J. *See* TRIM, N.

WANG, H., HENBEST, P. J. and NUTTALL, P. A. Successful interrupted feeding of adult *Rhipicephalus appendiculatus* (Ixodidea) is accompanied by re-programming of salivary gland protein expression, 143

WARBURG, A. *See* ADINI, A.

WARHURST, D. C. *See* ADAGU, I. S.

WARHURST, D. C. *See* DURAISINGH, M. T.

WEBSTER, J. P. *See* DAVIES, C. M.

WHELAN, K. F. *See* TULLY, O.

WILLIAMS, S. A. *See* GRAHAM, S. P.

WOLSTRUP, J. *See* FERNANDEZ, A. S.

WOOLHOUSE, M. E. J. *See* DAVIES, C. M.

WRIGHT, S. E. *See* FERGUSON, D. J. P.

WU, Y. *See* GRAHAM, S. P.

WÜRTZ, J. *See* SURES, B.

XIN-ZHUAN SU *See* ANDERSON, T. J. C.

YAMADA, M. *See* HYOH, Y.

ZELCK, U. E. Glycosidase activities in plasma of naive and schistosome-infected *Biomphalaria glabrata* (Gastropoda), 563

Index of Subjects

Acquired immunity, to visceral leishmaniasis, in Iran, 247
African tick larvae, distributions of, 455
Aluminium, elimination of *Gyrodactylus salaris* infections by, 19
Alu sequence, localization of in schistosomes, 315
Anaemia, in acute malaria patients, 127
Anguilla anguilla, richness and diversity of parasite communities in, 323
Anopheles stephensi, effects of *Plasmodium yoelii nigeriensis* on the midgut enzymes of, 535
Antigenic recognition, in onchocerciasis, 603
Antigenic repertoires, on *Plasmodium falciparum*-infected RBCs, 7
Antigenic variation, and parasite persistence in fish, 591
Antimalarial susceptibility testing, inoculum effect in, 435
Anti-schistosome responses, of planorbids, 395
Aphalloïdes cœlomicola, influence of on the fecundity and survival of *Pomatoschistus microps*, 61
Apoptosis, enhancement of in nematode-infected small intestine, 199
Ascaris suum, development of patent infections in pigs, 503
effect of tamoxifen on acetylcholine induced contraction of the somatic muscle of, 655
maternal exposure of pigs to influences worm burden distribution, 509
multilevel modelling of in pigs, 521
Ascaris suum eggs, seasonal variation in on pastures, 209
Atlantic salmon, elimination of *Gyrodactylus salaris* infections in by aluminium, 19

Biomphalaria glabrata, anti-schistosome responses of, 395
glycosidase activities in following *Schistosoma mansoni* infection, 563
Blood digestion, in *Anopheles stephensi*, 535
Brugia malayi, humoral immune responses to in *Presbytis entellus*, 53
isolation of differentially expressed cDNA clones from, 189
Bryozoans, as hosts for PKX, 555
Bulinus globosus, population genetics of *Schistosoma haematobium* in, 295

Caenorhabditis elegans, predatory behaviour of trapping fungi against, 95
Canonical Correspondence Analysis, of digenean parasites of fish, 635
Carbohydrate patterns, on the surface of *Oesophagostomum dentatum*, 491
Cement gland secretion, origin and function of in *Pomphorhynchus laevis*, 649
Chloroquine resistance, association of *cg2* and *pfmdr1* genotype with, 343
Community structure, of endoparasites in fish, 635
of the monogeneans on *Pimelodus maculatus* gills, 177
Cryptic species, of *Schistosoma japonicum*, 375
Cysteine proteinases, of *Haemonchus contortus*, 405
Cyst-forming coccidia, relationships between, 135
Cysticercosis, minor role of $\gamma\delta$T cells in the control of, 413
Dense granule-associated proteins, of *Neospora caninum*, an antiserum against, 441
Desiccation tolerance, of geographical isolates of *Muellerius capillaris*, 621
Development and survival, of *Ascaris suum* and *Trichuris suis* eggs on pasture, 209
Digenean parasites, of sparid and labrid fishes of the Mediterranean, community structure of, 635
Distributions, of African tick larvae, 455
Distribution, of *Strongyloides ratti*, heterogeneity in, 227
Diversity, in the *Leishmania donovani* complex, 237
of parasite communities in *Anguilla anguilla*, 323
DNA, from equine strongyles, species-specific amplification of, 69
cDNA clones, isolation of from *Brugia pahangi*, 189
DNA probes, for detection of fish microsporidians, 267
Duddingtonia flagrans, effect of against *Ostertagia ostertagi* in grazing cattle, 105

Egg excretion, the second peak of in *Strongyloides ratti*-infected rats, 221
Eimeria spp., taxonomy and systematics of, in murid rodents 349
Endoparasites in fish, community structure of, 635
Entamoeba dispar, use of an improved method to distinguish from *Entamoeba histolytica*, 359
Entamoeba histolytica, use of an improved method to distinguish from *Entamoeba dispar*, 359
Equine strongyles, specific amplification of DNA from, 69
Eulophus pennicornis, protease activity in the larval stage of, 157
Excretory–secretory GST, in *Fasciola hepatica*, 627
Extracellular matrix proteins, interaction of *Plasmodium gallinaceum* with, 331

Fasciola hepatica, excretory–secretory GST in, 627
Filarial nematodes, differentially expressed cDNA clones from *Brugia pahangi*, 189
Freshwater fish, trypanosomes in, 591

β-Galactoside-binding protein, from *Haemonchus contortus* gut, 483
Galectin, cloning and characterization of, from *Haemonchus contortus*, 483
Gamete surface protein Pfs230, antibodies against block transmission of *Plasmodium falciparum*, 425
Gene polymorphisms, in *Plasmodium falciparum*, and chloroquine resistance, 343
Genomic diversity, in the *Leishmania donovani* complex, 237
Genotyping, of *Plasmodium falciparum*, 113
Geographical distances, and parasite communities, 369
Globodera rostochiensis, analysis of the secretions of, 167
Glutathione-S-transferase, in *Fasciola hepatica*, 627
Glycosidase activities, in plasma of naive and schistosome-infected *Biomphalaria glabrata*, 563
GRA7, localization of in *Toxoplasma gondii*, 259
Gyrodactylus salaris infections, elimination of by aqueous aluminium, 19
Gyrodactylus spp., host-dependent and seasonal morphological variation in, 27
susceptibility of Atlantic salmon × brown trout to, 467

Haemonchus contortus, cloning and characterization of a β-galactoside-binding protein from the gut of, 483
cysteine proteinases of, 405
Heat shock protein, cloning and analysis of from *Trichinella britovi*, 81
Helisoma trivolvis, anti-schistosome responses of, 395
Host specificity, of *Gyrodactylus* spp., on goby species, 27
HSP70, cloning and analysis of from *Trichinella britovi*, 81

Immune response, of Indian leaf monkey to *Brugia malayi* infection, 53
to trypanosomes in freshwater fish, 591
Immunoregulation, of *Taenia crassiceps* infection, 413
Inoculum effect, in antimalarial susceptibility testing, 435
Intestinal parasites, in swine in Nordic countries, 521
Intravenous inoculation, of *in vitro*-hatched *Ascaris suum* larvae, 503

In vitro-hatched *Ascaris suum* larvae, inoculation of pigs with, 503
Ivermectin, efficacy of in the treatment of *Wuchereria bancrofti*, 385

Leishmania donovani, genomic diversity in, 237
Leishmania infantum, infection risks in Iran, 247
Lepeophtheirus salmonis, variation in the infestation of *Salmo trutta* L. by, 41
Lymphatic filariasis, efficacy of ivermectin in the treatment of, 385

Malaria, and anaemia in acute infections, 127
Maternal exposure, effect of on *Ascaris suum* distribution, 509
Microgemma caulleryi, DNA probes for the detection of, 267
Mitochondrial genes, of *Schistosoma mansoni*, 303
Monogenea, niche preferences and spatial distribution on the gills of *Pimelodus maculatus*, 183
Monogenean community, on *Pimelodus maculatus* gills, 177
Morphological variation, in *Gyrodactylus* spp., 27
Muellerius capillaris, desiccation tolerance of geographical isolates of, 621
Multilocus genotyping, of *Plasmodium falciparum*
Murine malaria, development of irreversible lesions in, 543
Muscle contraction, effect of tamoxifen on in *Ascaris suum*, 655
Mya arenaria, discrimination of two Perkinsus spp. in, 363

Nematodes, predatory behaviour of trapping fungi against, 95
Neospora caninum, antiserum against dense granule-associated proteins of, 441
Neuropathogen, identified as *Trichobilharzia regenti*, 577
New species, *Vairimorpha imperfecta*, 273
Niche preferences, of Monogenea on the gills of *Pimelodus maculatus*, 183
Nippostrongylus brasiliensis, effect of on apoptosis in villus epithelium, 199
Nordic countries, intestinal parasites of swine in, 521

Oesophagostomum dentatum, surface antigens and carbohydrates of, 491
Onchocerca volvulus, detection of in *Simulium ochraceum* by PCR-based screening, 613
  patterns of recombinant antigen recognition in, 603
Onchocerciasis, a bovine model of, 603
Ostertagia ostertagi, effect of *Duddingtonia flagrans* against in grazing cattle, 105

Parasite communities, and geographical distances, 369
Pathogenicity, of *Schistosoma mansoni*, 447
Pathology, of murine malaria, 543
PCR, allele-specific, use of in detection of *Pfmdr1* polymorphisms, 1
PCR-based screening, for detection of *Onchocerca volvulus* in *Simulium ochraeceum*, 613
Performance, of *Schistosoma mansoni*, 447
Perkinsus spp., discrimination of from softshell clam, 363
PfEMP1, antibodies of the different variants of, 7
Pfmdr1, detection of polymorphisms in using allele-specific PCR, 1
Pfs230, antibodies against block transmission of *Plasmodium falciparum*, 425
Phospholipid turnover, in *Schistosoma mansoni* tegument, 287
Phylogenetic relationships, among cyst-forming coccidia, 135
Pimelodus maculatus, structure of the monogenean community on the gills of, 177
PKX organisms, parasitic in bryozoans, 555
Planorbid snails, anti-schistosome responses of, 395
Plasmodium falciparum, and anaemia in acutely infected patients, 127
  association of *cg2* and *pfmdr1* genotype with chloroquine resistance in, 343
  characterization of by microsatellite markers, 113
  detection of *Pfmdr1* polymorphisms in, 1
  transmission-blocking antibodies to, 425
Plasmodium falciparum, variant antigens of RBCs infected by, 7
Plasmodium falciparum infections, and IgG reactivities against Rhoptry-Associated Protein-1, 337
Plasmodium gallinaceum, interaction of ookinetes and oocysts of with extracellular matrix proteins, 331
Plasmodium yoelii nigeriensis, and *Anopheles stephensi* midgut enzymes, 535
Plasmodium spp., development of irreversible lesions following infections with in mice, 543
Plutella xylostella L., *Vairimorpha imperfecta* n.sp. in, 273
Pomatoschistus microps, influence of *Aphalloïdes cœlomicola* on the fecundity and survival of, 61
Pomphorhynchus laevis, the origin and function of cement gland secretion in, 649
Population genetics, of *Bulinus globosus* and *Schistosoma haematobium*, 295
Predatory behaviour, of trapping fungi, 95
Pregnancy, effect of on *Wuchereria bancrofti* microfilariae in humans, 151
Presbytis entellus, humoral immune responses of to *Brugia malayi*, 53
Protease activity, in *Eulophus pennicornis*, 157
Proteases, in the secretions of *Globodera rostochiensis*, 167
Psoroptes mites, differentiation of from sheep and rabbits, 419

Rhipicephalus appendiculatus, successful interrupted feeding in, 143
Rhipicephalus spp., spatial and temporal distributions of, 455
Richness, of parasite communities in *Anguilla anguilla*, 323
Rhoptry-Associated Protein-1, IgG reactivities against, 337

Salivary gland proteins, re-programming of in *Rhipicephalus appendiculatus*, 143
Salmon × trout hybrids, susceptibility of, 467
Salmo salar × *Salmo trutta* hybrids, susceptibility of to *Gyrodactylus* spp., 467
Salmo trutta L., variation in the infestation of by *Lepeophtheirus salmonis*, 41
Scab mites, different genotypes of, 419
Schistosoma haematobium, population genetics of in *Bulinus globosus*, 295
Schistosoma japonicum, cryptic species of, 375
Schistosoma mansoni, a heterodimeric amino acid permease from, 569
  glycosidase activities in plasma of *Biomphalaria glabrata* infected by, 563
  mitochondrial genes of, 303
  performance and pathogenicity of, 447
Schistosoma mansoni tegument, phospholipid turnover in, 287
Schistosome amino acid permease, 569
Schistosomes, localization of mouse type 2 *Alu* sequence in, 315
Secretions, of *Globodera rostochiensis*, 167
Sea lice, infestations of in sea trout, 41
Sea trout, infestation of by sea lice, 41
Seasonal variation, in *Ascaris suum* and *Trichuris suis* eggs on pastures, 209
  in *Gyrodactylus* spp., 27
Serine proteases, in the larval stage of *Eulophus pennicornis*, 157
Simulium ochraceum, detection of *Onchocerca volvulus* in by PCR-based screening, 613
Softshell clam, discrimination of two Perkinsus spp. in, 363
Spatial distribution, of Monogenea on the gills of *Pimelodus maculatus*, 183
Spatial heterogeneity, of *Strongyloides ratti*, 227
Species-specific amplification, of ribosomal DNA from equine strongyles, 69

SPRM1lc, an amino acid permease from *Schistosoma mansoni*, 569
Stocking rate, in grazing cattle, effect of on *Duddingtonia flagrans* efficacy, 105
Strongyles, equine, species-specific amplification of ribosomal DNA from, 69
Strongyloides ratti, heterogeneity in the distribution of, 227
Strongyloides ratti-infected rats, the second peak of egg excretion in, 221
Surface antigens, from *Oesophagostomum dentatum*, 491
Susceptibility, of salmon × trout hybrids, 467
Systematics, of *Eimeria* spp., of murid rodents, 349

Tamoxifen, inhibitory action of on contraction of *Ascaris suum* muscle in response to acetyl choline, 655
Taxonomy, of *Eimeria* spp., of murid rodents, 349
$\gamma\delta$T cells, minor role of in controlling infection in experimental cysticercosis, 413
Tegumental membranes, phospholipid turnover in, in *Schistosoma mansoni*, 287
Tetramicra brevifilum, DNA probes for the detection of, 267
Tick distribution, spatial and temporal in wild and domestic ungulates, 455
Tick salivary gland proteins, reprogramming of during interrupted feeding, 143
Toxoplasma gondii, localization of GRA 7 in, 259
Transient gene expression, variation of in single lineages of *Trypanosoma cruzi*, 583
Transmission-blocking immunity, to *Plasmodium falciparum*, 425
Trichinella britovi, cloning and analysis of 70 kDa heat shock protein from, 81
Trichobilharzia regenti, as a neuropathogen, 577
Trichuris suis eggs, seasonal variation in on pastures, 209
Trypanosoma cruzi, variation of transient gene expression in single lineages of, 583
Trypanosomes, in freshwater fish, 591
Type 2 *Alu* sequence (B2), localization of in schistosomes, 315

Varimorpha imperfecta n.sp., in *Plutella xylostella* L., 273
Villus epithelium, apoptosis in during infection with *Nippostrongylus brasiliensis*, 199
Visceral leishmaniasis, age, acquired immunity and the risk of in Iran, 247

Worm burden distribution, effect of maternal exposure to *Ascaris suum* on, 509
Wuchereria bancrofti, effect of pregnancy on the microfilarial load of in humans, 151
efficacy of ivermectin in the treatment of, 385